LARGE IC PNEUMATIC



OUTDOOR POWER, SUPERSIZED



RUGGED AND READY

FOYOTA 👺

THE TOYOTA LARGE IC PNEUMATIC FORKLIFT. Heavy loads and variable outdoor terrain. The rugged, surefooted Toyota Large IC Pneumatic handles both with ease. That's why it's a power player on construction sites and in lumberyards, brick and stone distribution centers, and heavy manufacturing. Extremely durable and tough conditions-efficient, the Large IC Pneumatic delivers the goods.

13500-17500^{LB}

CAPACITY



LARGE IC PNEUMATIC ADVANTAGES

► SYSTEM OF ACTIVE STABILITY™ (SAS)

automatically detects potentially unsafe conditions and engages additional safety features for increased operator protection and reduced product and forklift damage

▶ DURABILITY BY DESIGN including tilt cylinder protection boots, stamped steel engine hood, fully stamped steel side panels, fully sealed air intake, plate-iron front fenders, and moisture-resistant electrical connections

► ACTIVE MAST CONTROL responds automatically to enhance stability of loads handled at high lift heights

► ONE-WAY AUTOMATIC FORK LEVELING levels forks parallel to the ground from back tilt position with the push of a button

► TWO-SPEED POWERSHIFT TRANSMISSION

Provides advanced performance in acceleration and gradeability with fully automatic operation

► FORCE-COOLED WET DISC BRAKES reduce maintenance cost and downtime with an expected lifespan of 10 years/20,000 hours*



*Actual results may vary by application and usage

MENU MODE MODE MODE

► CONTROL AREA NETWORK (CAN-BUS)

communication technology for quicker, more reliable control of truck functions with fewer components

► STANDARD LCD MULTI-FUNCTION DISPLAY puts customizable performance, operational data, and QR code diagnostics right at your fingertips

► IMPROVED ERGONOMICS including load-sensing power steering, 11.8" steering wheel, dash-Integrated amenity tray, and oversized cup holder

► PREMIUM COMFORT SEAT

utilizes high-quality materials and a multitude of adjustable settings to deliver a smooth ride, shift after shift

► REINFORCED LOAD BACKREST EXTENSION with

recessed fasteners reduces potential for product damage

► STANDARD LED HEADLIGHTS lower operational costs due to reduced amp draw and no filament

► WELDED, ROLL-FORMED OVERHEAD GUARD PILLARS provide maximum operator protection with improved entry/exit and load visibility

► PNEUMATIC TIRES (SOLID OR AIR-FILLED) for a smooth ride and strong grip on tough surfaces and uneven terrain



YOU, COMFORTABLY IN CONTROL While the Large IC Pneumatic handles the tough jobs, you will

While the Large IC Pneumatic handles the tough jobs, you will be riding easy. Sure, you'll be tackling heavy loads and tricky terrain. But you'll be doing it surrounded by creature comforts and operational efficiencies. Like a premium comfort seat. Standard LCD multi-function display. Non-cinching seatbelt. Tilt steering column. Load-sensing, vibration-isolating power steering. Control levers conveniently at hand, but out of the way during entry and exit. Low, wide entry steps. An optional operator cabin. And more. You're comfortably in control.

SEE MORE OF YOUR ENVIRONMENT

Forward, up, back. Any way you look, you'll appreciate the clear, open sightlines of the Large IC Pneumatic. Mast hosing is tucked away, overhead guard bars are oriented for maximum visibility, and the mast crossmember doesn't block your view of the fork tips. The LPG tank bracket keeps a low profile, too. Even the sloped dashboard, and slimmer steering wheel and column lend a hand. Visibility plays a leading role in performance and productivity, and the Large IC Pneumatic delivers it like a star.

SAS

SYSTEM OF ACTIVE STABILITY

STABILITY: NOW AN ACTION VERB

Toyota's System of Active Stability $^{\text{TM}}$ springs into action when operators encounter unanticipated load and speed conditions.

Active Control Rear Stabilizer senses potentially dangerous turn speeds and widens the forklift's center of gravity to decrease the likelihood of a lateral tip-over.

Active Mast Control automatically limits operator actions that could cause the forklift to tip forward or backward. Forward tilt control monitors load weight and mast height, then acts to limit forward tilt in potentially unstable situations. Rear tilt control slows tilt speed to half, decreasing the chances of spilling unsecured loads and increasing forklift stability.

AN INVESTMENT THAT PAYS YOU BACK

Some competitors are content to design and build a forklift with systems bought off the shelf. Toyota demands better for its customers. It's a forklift with better components and meticulously planned integrated systems that work together to deliver intuitive, dependable performance day after day. Toyota forklifts don't often require service. But when they do, it's fast and easy — by design. And legendary Toyota quality means more productivity over the lifecycle of your forklift, along with lower repair costs.



Easy-Access No Tools Required Floorboard
Engine Hood Assist Damper with Lock Device
Air Cleaner Discharge Valve
Easy-Lift Engine Hood with Wide 75° Opening
All Filters Easily Accessible

INDUSTRIES



Distribution



Lumber

Factory



Paper



General Manufacturing



Retail



General Warehousing



"I'M HERE TO MAKE SURE YOUR FORKLIFTS DON'T TAKE VACATION DAYS."

Butch - 360 Technician, ProLift, Cincinnati, Ohio



HELP IS ALWAYS HERE WITH TOYOTA 360 SUPPORT.

The industry's best and most comprehensive dealer network quickly delivers Toyota Certified Technicians to your work site. These specially trained technicians can also help assess your warehouse and facility needs to recommend the right equipment for the job. And with the largest fleet of material handling equipment, Toyota 360 keeps your business running at full speed.

ToyotaForklift.com/360-Support



YOUR BUSINESS IS RIDING ON IT.

Some product features described herein are optional. Please consult your dealer for specifications. Details of specifications and equipment are based on information available at time of printing and may change without notice. Photos may not reflect physical trucks.

